City of Arlington

2024 Lighting Retrofit Rebate Instructions

By participating in the We Save program, you can save energy and earn a rebate when you replace existing lighting with qualifying, energy-efficient lighting.

What Rebate Can I Earn?

Eligible lighting and rebate prices are listed on the Rebate Calculation Table. Many LED products must be on the DesignLights Consortium (DLC) Qualified Product List to be eligible for rebate. If lighting must be DLC qualified, it will be indicated on the Rebate Calculation Table. Non-DLC products and those not included in the Rebate Calculation Table may be considered for a custom rebate. Please contact Utility for more information.

Rebate Qualifications and Program Rules

- Rebate offered to non-residential electric customers of the City of Arlington.
- Rebate will be issued to the customer only. Maximum rebate amount shall be limited to 50% of project cost.
- Rebate forms must include: (1) Rebate Application, (2) Pre-Rebate Worksheet, (3) Rebate Calculation Table, and (4) copy of paid, itemized invoice(s) showing quantity, price, manufacturer, and model number.
- Pre-approval is required. Customer must submit Pre-Rebate Worksheet prior to starting project. Utility will review project and verify proposed lighting qualifies for rebate.
- Utility reserves the right to conduct pre- and post-retrofit on-site inspections. One sample of each type of equipment removed must be retained for 90 days after rebate is received. If Utility finds customer has not complied with program rules, any rebate received must be returned to the Utility.
- Only new equipment is eligible for rebate.
- Rebate is based upon one-for-one replacement of existing fixtures resulting in energy savings.
- Installation must be completed before submitting rebate application.
- Customer must apply for rebate within one year of the purchase date shown on the equipment invoice.
- Rebate will not be given for equipment or designs that do not comply with local, state, or federal regulations.
- Utility is not liable for rebates promised to a customer by a contractor misrepresenting the program nor any tax liability imposed on customer related to rebate payment.
- Utility gives no warranty, expressed or implied, with respect to equipment operation or performance. Utility does not guarantee that the implementation of energy-efficient measures or use of equipment installed pursuant to this program will result in energy or cost savings. Utility is not liable for any incidental or consequential damage. Utility is not responsible for the disposal of lamps and/or ballasts.
- Rebate forms may be shared with the Minnesota Department of Commerce and MMPA.
- Rebate requests are processed on a first-come first-serve basis. Annual rebate funds are limited. Rebate programs, qualifications, and amounts are subject to change at any time.
- Qualifying customers must apply for rebate by November 30, 2024.

| Rebate Forms Checklist: | Rebate Application Pre-Rebate Worksheet Rebate Calculation Table Invoice(s) |
|--|--|
| Questions? Please contact us. Phone: 507-964-2378 Fax: 507-964-5973 Email: cityhall@arlingtonmn.com Website: www.arlingtonmn.com | <u>Send Rebate Forms to:</u> City of Arlington 204 Shamrock Drive Arlington, MN 55307 |
| Minnesota Municipal Power Agency | WeSaveBusiness |

2024 Lighting Retrofit Rebate Application

| City | of Arlington | |
|------|--------------|--|
| | | |

| STEP 1: CUSTOMER | R INFORMATION |
|-------------------------|---------------|
|-------------------------|---------------|

| Cc | Company Name: | | | | | | | | |
|--------------------------------------|--|--------|-----------------|-------------|--------|--|--------|-----------------------------|--|
| Account #: | | | | | Cor | ntact Name: | | | |
| Address: City: | | | | | | ZIP | Code: | | |
| Email: | | | | Pho | one: | | | | |
| Installation Address (if different): | | | | | | | | | |
| STEP 2: VENDOR INFORMATION | | | | | | | | | |
| Company Name: Contact Name: | | | | | | | | | |
| Address: City: | | | | | | | ZIP | Code: | |
| En | nail: | | | | Pho | one: | | | |
| | | | ST | EP 3: FA | CILI | TY DETAILS | | | |
| Sp | ace where lighting w | ill be | installed: D A | Air Condit | ioneo | d □ Not Air Conditioned | | | |
| Pr | mary Building Type/ | Use | of Location (se | lect one): | | | | | |
| | 24-Hour Facility | | Code/Safety Re | equired | | College/University | | Grocery | |
| | Healthcare Office | | Hospital | | | Hotel/Motel | | Manufacturing | |
| | Office | | Restaurant | | | Retail | | Refrigerated Case | |
| | School-Elementary | | School-Second | lary | | Warehouse | | Other: | |
| | * | | STEP 4: CON | IPLETE F | PRE- | REBATE WORKSHEET | • | | |
| | | | | | | ng removed and installed n information entered in F | | | |
| | | S | TEP 5: COMP | LETE RE | BAT | E CALCULATION TABI | LE | | |
| | | | | | | f the rebate. Quantities r exceed the purchase pri | | | |
| | | : | STEP 6: ATT | ACH NEC | ESS | ARY DOCUMENTATION | N | | |
| | Pre-Rebate Worksh Rebate Calculation Copy of dated, item | Tab | | wing quar | ntity, | price, manufacturer, and | l mod | el number | |
| | | | STEP | 7: CUST | OME | ER SIGNATURE | | | |
| | ereby certify that info at MMPA may verify i | | | | n is a | accurate. I have read reb | oate i | nstructions and agree | |
| Х | | | | | Dat | e (<i>mm/dd/yy):</i> | | | |
| FC | R MMPA UTILITY US | E ON | LY. DO NOT W | RITE IN T | HIS A | AREA. | | | |
| Cu | stomer Type (select or | ne): [| □ Commercial | 🗆 Industria | al | | | | |
| Ар | proved By: | | | Date (mn | n/dd/y | /y): | Reba | ate (\$): | |
| | Minnesota Municipal Power Agency | | | | | Ŷ | We | eSave <mark>Business</mark> | |
| | | | | | | | | Expires November 30, 2024 | |

Expires November 30, 2024

2024 Lighting Retrofit Pre-Rebate Worksheet

City of Arlington

| | TIONS: Ent | ter deta | ils for old and | new lighting be | elow. Ma ering fixtu | iny new l i ire watts | ighting pro | ducts must be DLC qualifie | ed, see Re | bate Calcul | ation Table for more info | Customers are make copies of sheet | | | | |
|---|--------------------|----------|-----------------|-----------------|--------------------------------|---------------------------------|-------------|----------------------------|------------|-------------|---------------------------|---|--------|--|--|------|
| encouraged to provide lighting specification sheets. If entering fixture watts, enter fixture quantity. If entering lamp watts, enter lamp quantity. If more rows needed, make copies of sheet. | | | | | | | | | | | | | | | | |
| LO | CATION | | | OLD (REMOV | /ED) LIG | HTING | | | - | NEW (IN | STALLED) LIGHTING | | | | | |
| Build | ding | Air | _ | Lamps/ | | | Lamps/ | | | | | | | | | Unit |
| Тур | oe 🛛 | Cond | Desc | ription | Fixture | Watts | Quantity | Description | Watts | Quantity | Manufacturer | Model Number | Cost | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | LIGH | TING CO | NTRO | LS (Int | terior Appl | ications Only) | I | | FOR MM | IPA UTILITY USE ONLY. | | | | |
| | | | | INSTALLED | | | | FIXTURE | S | | | | | | | |
| | | | | | | Unit | Sensor | Description of Fixture | Fixture | | D | DLC, ENERGY STAR | | | | |
| Туре | M | anufac | turer | Model Nu | mber | Cost | Quantity | Controlled by Sensor | Watts | Quantity | | PRE-APPROVED | 1 | | | |
| | | | | | | | | | | | | | | | | |
| MN | 1PA | | | | | | | | | | | WeSaveBus | siness | | | |
| Minnesota Munic | cipal Power Agency | | | | | | | | | | | | | | | |

2024 Lighting Retrofit Rebate Calculation Table, 1 of 2

City of Arlington

| | EQUIPMEN | | QUANTITY | REBATE \$/UNIT | UNIT | REBATE \$ |
|--|--|---|-----------------|--|---|--------------|
| | | INTERIOR LIGHTING REBATES | | | | |
| Rebates i | n this section ar | e for interior installations only and are based on w LED Lamps | vattage of I | new lightin | g. | |
| | In | cludes Omnidirectional, Directional, and Decorative lamps | | | | |
| | 10W or less | | | \$5 | lamp | |
| ED Lamps | 11-20W | Replace incandescent | | \$8 | lamp | |
| | 21-30W | 1 | | \$10 | lamp | |
| Inclu | | ED Downlight Fixtures and LED Downlight Kits dant, Downlight Recessed, Downlight Surface Mount, Down | nliaht Retrofit | t fixtures | | |
| | 25W or less | | | \$30 | fixture | |
| | 26-50W | Replace incandescent | | \$50 | fixture | |
| ED Downlight Luminaires | 25W or less | | | \$20 | fixture | |
| | 26-50W | Replace fluorescent | | \$30 | fixture | |
| ED Downlight Retrofit Kits | | Replace incandescent or fluorescent | | \$10 | fixture | |
| - | LC Qualified LE | D 4-Pin Base PL Replacement Lamps for CFLs (UI | L Type A, E | | | |
| Includes DLC Pri | mary Use: Replace | ment Lamps ("Plug and Play") (UL Type A), Internal Driver/L | Line Voltage | (UL Type B) | Lamps, | |
| | | nal Driver (UL Type C) Lamps, Dual Mode Internal Driver (U Replace CFL 4-Pin Base lamps | JL Type A an | nd B) \$7 | le min | |
| ED 4-Pin Base Lamps | 21W or less | Ilified LED Linear Replacement Lamps (UL Type A | R C) | \$7 | lamp | |
| | mary Use: Replace | med LED Linear Replacement Lamps (OL Type A) ment Lamps ("Plug and Play") (UL Type A), Internal Driver/I External Driver (UL Type C) Lamps, Dual Mode Internal Driv | Line Voltage | | Lamps, | |
| .ED Linear Lamps (2, 3, 4, and | | Replace fluorescent T12, T8, or T5 lamps | | \$5 | lamp | |
| • • • • | , | ualified LED Mogul Screw-Base (E39) Replacemer | nt Lamps | ΨŪ | .e.r.p | |
| | | ment Lamps for High / Low Bay Luminaires (UL Type B and | | ERGY STAR | 2 E26 lamps | ; |
| ED Magul Sarow Basa E26 | 49W or less | | | \$40 | lamp | |
| LED Mogul Screw-Base E26 and E39 Replacement Lamps | 50-119W | Replace HID lamps. E39 replacement lamps must be DLC qualified. | | \$60 | lamp | |
| | 120-230W | | | \$75 | lamp | |
| | | ualified LED Linear Ambient Fixtures and Retrofit | | (| · · · · · · · · · · · · · · · · · · · | |
| nciudes DLC Primary Use: Direct | 60W or less | ninaires, Linear Ambient Luminaires w/ Indirect component, | , Retrotit Kits | \$ for Direct Li \$25 | fixture | nt Luminair |
| ED Linear Ambient Fixtures | 61-100W | - | | \$23 \$40 | fixture | |
| | 01-10000 | | | | uxiure | |
| | 6011/ 05 1000 | Replace fluorescent T5, T8, T12 fixtures | | | | |
| ED Direct Linear Ambient | 60W or less | Replace fluorescent T5, T8, T12 fixtures | | \$20 | fixture | |
| ED Direct Linear Ambient | 61-100W | | (ite | | | |
| ED Direct Linear Ambient Retrofit Kits | 61-100W | Replace fluorescent T5, T8, T12 fixtures Qualified LED High/Low Bay Fixtures and Retrofit H ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit. | | \$20 \$30 | fixture fixture | . <i>l</i>) |
| ED Direct Linear Ambient Retrofit Kits | 61-100W | Qualified LED High/Low Bay Fixtures and Retrofit F | | \$20 \$30 | fixture fixture | .() |
| ED Direct Linear Ambient Retrofit Kits | 61-100W DLC C / Use: High / Low Ba | Qualified LED High/Low Bay Fixtures and Retrofit F | | \$20 \$30 .ow Bay Lum | fixture fixture hinaires (C& | :1) |
| ED Direct Linear Ambient Retrofit Kits | 61-100W DLC C / Use: High / Low Ba 94W or less | Qualified LED High/Low Bay Fixtures and Retrofit F | | \$20 \$30 .ow Bay Lum \$50 | fixture fixture hinaires (C& fixture | .l) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> | 61-100W DLC C Use: High / Low Ba 94W or less 95-189W | Qualified LED High/Low Bay Fixtures and Retrofit P ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit | | \$20 \$30 .ow Bay Lum \$50 \$135 | fixture fixture ninaires (C& fixture fixture | ;l) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> | 61-100W DLC C / Use: High / Low Ba 94W or less 95-189W 190-290W | Qualified LED High/Low Bay Fixtures and Retrofit P ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit | | \$20 \$30 .ow Bay Lum \$50 \$135 \$150 | fixture fixture ninaires (C& fixture fixture fixture fixture | .l) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> | 61-100W DLC C Use: High / Low Ba 94W or less 95-189W 190-290W 291-464W | Qualified LED High/Low Bay Fixtures and Retrofit P ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit | | \$20 \$30 .ow Bay Lum \$50 \$135 \$150 \$200 | fixture fixture ninaires (C& fixture fixture fixture fixture | .l) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> ED High / Low Bay Fixtures | 61-100W DLC C 7 Use: High / Low Ba 94W or less 95-189W 190-290W 291-464W 465-625W | Qualified LED High/Low Bay Fixtures and Retrofit P ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit | | \$20 \$30 .ow Bay Lum \$50 \$135 \$150 \$200 \$250 | fixture fixture fixture fixture fixture fixture fixture fixture fixture | .l) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> ED High / Low Bay Fixtures | 61-100W DLC C 7 Use: High / Low Ba 94W or less 95-189W 190-290W 291-464W 465-625W 94W or less | Qualified LED High/Low Bay Fixtures and Retrofit P ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit | | \$20 \$30 .ow Bay Lum \$50 \$135 \$150 \$200 \$250 \$30 | fixture fixture fixture fixture fixture fixture fixture fixture fixture | .1) |
| ED Direct Linear Ambient Retrofit Kits <i>Includes DLC Primary</i> | 61-100W DLC C 7 Use: High / Low Ba 94W or less 95-189W 190-290W 291-464W 465-625W 94W or less 95-189W | Qualified LED High/Low Bay Fixtures and Retrofit H ay Luminaires (C&I), High Bay Aisle Luminaires, Retrofit Kit Replace HID or fluorescent T12, T8, T5 fixtures | | \$20 \$30 .ow Bay Lum \$50 \$135 \$150 \$200 \$250 \$30 \$40 | fixture fixture fixture fixture fixture fixture fixture fixture fixture fixture fixture | .l) |

2024 Lighting Retrofit Rebate Calculation Table, 2 of 2

City of Arlington

| | | | | REBATE | | REBATE | | | |
|--|--------------------|---|---------------|-------------------|-----------------------|-----------|--|--|--|
| | | T DESCRIPTION TERIOR LIGHTING REBATES, continued | QUANTITY | \$/UNIT | UNIT | \$ | | | |
| | | ed LED 1x4, 2x2, and 2x4 Troffer Fixtures and Ret | trofit Kits | | | | | | |
| Include | | e: 1x4 / 2x2 / 2x4 Luminaires for Ambient Lighting of Interio | | al Spaces | | | | | |
| LED Troffer Fixtures | 100W or less | Replace fluorescent T12 and T8 troffer fixtures | | \$30 | fixture | | | | |
| LED Troffer Retrofit Kits | 100W or less | with similar size/type fixtures (ex, 1x4 with 1x4) | | \$30 | fixture | | | | |
| DLC Qualified LED Stairwell Fixtures Includes DLC Primary Use: Stairwell and Passageway Luminaires | | | | | | | | | |
| LED Stairwell Fixtures | 1 | Replace T5, T8, T12, HID, CFL fixtures | | \$40 | fixture | | | | |
| DLC Qualified LED Refrigerated Case Lighting | | | | | | | | | |
| Includes DLC Primary Use: Vertical Refrigerated Case Luminaires, Horizontal Refrigerated Case Luminaires | | | | | | | | | |
| 5- and 6-foot LED Case Door | | Replace fluorescent T12 or T8 5-6 foot systems. | | \$50 | door | | | | |
| Strip Lighting | | NOTE: Enter number of doors for quantity. | | \$50 | door | | | | |
| | | EXIT SIGN AND LIGHTING CONTROL RE ates in this section are for interior installations on | | | | | | | |
| LED Exit Signs | | Replace incandescent | | \$25 | sign | | | | |
| Occupancy and Photocell Sens | ors | Permanently mounted or fixture integrated. | | \$20 | sensor | | | | |
| | | EXTERIOR LIGHTING REBATES | | | | | | | |
| Rebates in this sect | | or and parking garage installations only and are b | | attage of | new lighti | ng. | | | |
| | | Qualified LED Canopy Fixtures (excludes downligh ncludes DLC Primary Use: Fuel Pump Canopy Luminaire | nts) | | | | | | |
| LED Canopy Fixtures | 150W or less | Replace HID or soffit fixtures. Hardwired. | | \$25 | fixture | | | | |
| Includes DLC Primary Us | | ED Wall Pack Fixtures (Building Exterior and Par toff Wall-Mounted Area Luminaires, Outdoor Non- and Ser | | | Area Lumina | aires | | | |
| | 25W or less | , | | \$25 | fixture | | | | |
| LED Wall Pack Fixtures | 26-60W | Replace HID. Must be attached to a wall and | | \$40 | fixture | | | | |
| | 61-150W | hardwired. | | \$60 | fixture | | | | |
| DLC Qualified LED Area Lighting Fixtures | | | | | | | | | |
| Includes DLC P | rimary Use: Outdoc | or Pole/Arm-Mounted Area and Roadway Luminaires and D | Decorative Lu | iminaires, B | ollards | | | | |
| | 89W or less | | | \$40 | fixture | | | | |
| LED Area Lighting Fixtures | 90-149W | Replace HID | | \$50 | fixture | | | | |
| LED Area Lighting Fixtures | 150-299W | | | \$75 | fixture | | | | |
| | 300-550W | | | \$100 | fixture | | | | |
| | | DLC Qualified LED Parking Garage Fixtures Includes DLC Primary Use: Parking Garage Luminaires | | | | | | | |
| | 60W or less | Replace HID. Must be on 24/7 and installed in | | \$120 | fixture | | | | |
| Parking Garage LED Fixtures | 61-83W | underground or semi-enclosed structure. | | \$130 | fixture | | | | |
| | <u> </u> | тот | AL PRESCI | | EBATE = | | | | |
| | CUSTOM LIG | HTING REBATES (TO BE COMPLETED B | | | | | | | |
| | | nt not covered by prescriptive rebates. Requires Pre- | | | | | | | |
| OLD EQUIPMENT DESC | | NEW EQUIPMENT DESCRIPTION | QUANTITY | REBATE \$/UNIT | UNIT | REBATE \$ | | | |
| | | | | Ψ, Ο | 0111 | | | | |
| | | | | | | | | | |
| | | TOTAL C | USTOM LIC | GHTING R | EBATE = | | | | |
| | | | | TOTAL R | EBATE = | | | | |
| FOR MMPA UTILITY USE ONL | Y. DO NOT WRITI | E IN THIS AREA. | | Total Proj | ect Cost = | | | | |
| 50% x Project Cost = | | | | | | | | | |
| Adjusted Total Rebate (if necessary) = | | | | | | | | | |
| | | | (| 🔮 We | Save <mark>B</mark> l | usiness | | | |